2009 SEED SUMMARY REPORT INSPECTION RESULTS



PLANT INDUSTRIES DIVISION BUREAU OF FEED AND SEED

Missouri Department of Agriculture Mission Statement

To serve, promote, and protect the agricultural producers, processors, and consumers of Missouri's food, fuel, and fiber products.

FOREWORD

The Seed Summary report is comprised of two sections.

Section one is intended to show the reliability of labelers in meeting their claims for seed quality. Inspections listed in this section were random, with no intentional bias, for the purpose of providing a means of comparing each labeler's reliability in meeting claims. The greater the number of samples taken per labeler, the greater the probability that the consistency in meeting claims shown will represent the labeler's actual performance.

Section two is comprised of selective inspections designed specifically to curtail labeling and licensing violations of the Missouri Seed Law. Examples of violations are selling seed without a permit, selling seed out of test date, and labeling omissions or inconsistencies with the law.

Stop sales are debited to the labeler if a discrepancy from the labeler's claim is found. If a lot of seed is found offered for sale past the time allowed on the existing germination test date, that violation is charged against the possessor of the seed. Violations recorded against the possessor of the seed are listed in section two.

All inspections were performed to fulfill the regulatory responsibilities given by the Missouri Department of Agriculture by the Missouri Seed Law, Statute Sections 226.011 through 266.111 (RSMo 2000).

INTRODUCTION

The Missouri Department of Agriculture, Plant Industries Division, Bureau of Feed and Seed are pleased to publish the 2009 Seed Summary Report and Inspection Results.

Three thousand one hundred and forty-seven (3,147) lots of seed were officially sampled and tested. Two hundred and eight (208) stop-sale orders were issued for seed failing to meet its labeled guarantees. This resulted in a compliance rate of 93.39 percent compared to 94.18 percent in 2008.

The Missouri Seed Control Laboratory tested 462 service samples in 2009. A total of 3,609 official and service samples were tested in 2009 resulting in a total of 6,772 individual tests performed.

All seed retailers are required to have their on-hand carry over seed retested for germination every 10 months (counting the month the seed was retested.) The new test date must appear on all labels. Seed lots found to be out of test date will be placed on stop sale order until such time as the seed has been tested and a new test date is placed on the label with any change in germination rate noted or the seed is disposed of in an acceptable manner. In 2009, 78 field written stop sale orders were issued mainly on out of test date seed.

The Bureau of Feed and Seed offers many seed sampling and seed testing services. The charges for analysis and analytical reports on seed samples are listed in the Missouri Seed Law Rules 2CSR 70-35.050.


For more information concerning the services offered by the Bureau of Feed and Seed, contact the feed and seed inspector in your area or contact:

Missouri Department of Agriculture Plant Industries Division P.O. Box 630 Jefferson City, MO 65102

Amber.Whittle@mda.mo.gov
(573) 751-5474 Office; (573)751-5500 Office Fax
(573) 751-4340 Seed Laboratory; (573) 526-7777 Seed Laboratory Fax
Or visit our Web site at mda.mo.gov
Plant Industries

PLANT INDUSTRIES DIVISION BUREAU OF FEED AND SEED

| Judy Grundler, Director, Plant Industries | |
|---|----------------------|
| Tony L. Claxton, Program Manager, Bureau of Fee | ed and Seed |
| Linda Adkins, Clerical Staff | |
| Amber Whittle, Clerical Staff | |
| Mary Koestner, Laboratory Manager | |
| David Hoskins, Seed Analyst III | |
| Nevelyn Higgins, Seed Analyst II | |
| INSPECTORS | S AND ASSIGNED AREAS |
| AREA 1 | AREA 2 |
| Richard Lollar | Ken Disselhorst |
| Chillicothe, MO 64601 | Hannibal, MO 63401 |
| (660) 646-5811 | (573) 769-3486 |
| AREA 3 | AREA 4 |
| Mike Harter | Devin Hart |
| Springfield, MO 65802 | Houston, MO 65483 |
| (417) 895-6861 | (417) 967-4672 |
| AREA 5 | |
| Rick Schroeppel | |
| Washington, MO 63090 | |
| (636) 239-3085 | |
| | |



Page 4

2009 STATISTICAL SUMMARY SAMPLES ANALYZED FOR 2009

| OFFICIAL SAMPLES ANALYZED | | 3,147 |
|--|------|--------|
| Purity | 1045 | |
| Noxious Weed | 1239 | |
| Germination | 3565 | |
| TOTAL NUMBER OF LOTS IN VIOLATION | | 208 |
| TOTAL OFFICIAL TESTS PERFORMED | | 6,184 |
| COMPLIANCE RATE OF OFFICIAL SAMPLES ANALYZED | | 93.39% |
| SERVICE SAMPLES ANALYZED | | 462 |
| Purity | 82 | |
| Noxious Weed | 50 | |
| Germination | 451 | |
| Endophyte | 0 | |
| Pure Live Seed | 0 | |
| TZ | 0 | |
| Seed Count per pound | 5 | |
| Other | 0 | |
| TOTAL SERVICE SAMPLE TESTS PERFORMED | | 588 |
| TOTAL SAMPLES FOR 2009 | | 3,609 |
| TOTAL TESTS PERFORMED FOR 2009 | | 6,772 |
| SEED PERMITS ISSUED FOR 2009 | | 3,641 |

Information on samples, inspection of seeds, or service samples are available from the Bureau of Feed and Seed, 115 Constitution Drive, Jefferson City, Missouri, 65109 or by calling (573) 751-5474.

SUBMITTING SERVICE SAMPLES

> Testing period for free seed analysis:

June 1 through August 31 November 1 through January 15

> Testing period for charges on seed analysis:

January 16 through May 31 September 1 through October 31

> Purity charges:

| One cultivar | \$12.00 |
|---|--------------|
| More than one cultivar in same sample | \$18.00 |
| Seed having less than 90 percent pure seed | \$10.00/hour |
| | |
| > Germination charges (highly chaffy grasses, excluded) | \$12.00 |

> Germination charges (highly chaffy grasses, excluded)

> Other testing charges:

| TZ | \$25.00 |
|--|--------------|
| Highly chaffy seed | \$10.00/hour |
| Highly chaffy germ | \$14.00 |
| Endophyte from growth | \$30.00 |
| Endophyte from seed | \$20.00 |
| Noxious and Prohibited weed seed | \$12.00 |
| Complete Test (Including Purity, Germination, and Noxious Weeds) | \$36.00 |
| Cold Test (Soybeans) | \$12.00 |
| Cool Test (Cotton) | \$12.00 |

CRITERIA FOR OBTAINING A SERVICE SAMPLE

Forward your seed in containers adequate to protect the sample. Without proper sampling technique, test will not reflect true quality of the seed.

Bulk lot seeds:

Take a sample from several places. Mix the seed samples thoroughly. Make a composite sample.

➤ Bagged lot seeds:

Take sample from approximately 10 percent of the bags. Mix the seed samples thoroughly. Make a composite sample.

➤ Size of sample needed for testing:

| TYPE OF SEED | SAMPLE SIZE GERMINATION | SAMPLE SIZE PURITY |
|--|----------------------------|-----------------------|
| Soybeans | one quart | one-half gallon |
| Large Seeds (corn, cotton, small grain, sorghum) | one pint to one quart | one quart |
| Small seeds (grass, clover, alfalfa, lespedeza) | one-half pint | one quart |

SEED ANALYSIS SERVICE SAMPLE APPLICATION

Submit seed samples with request for analysis to: State Seed Control Laboratory

Department of Agriculture 115 Constitution Drive (65109)

P.O. Box 630 (65102) Jefferson City, MO

PLEASE PRINT OR TYPE THE FOLLOWING INFORMATION:

| <u>Date</u> | | | | | |
|---|------|--------------|------------|------------------------|---------------|
| Lot number or ID of seed_ | | Kind of | seed | | |
| Check the following analysis to be run: | Free | Charge_ | | (see page 6 for free & | charge times) |
| Germination | | | | | |
| Purity | | | | | |
| Noxious or prohibited weed seed content | | | | | |
| Other (please specify) | | | | | |
| Person planting this seed | | | | | |
| Address | | | | | |
| (Route/Street No. | .) | | (P.O. Box) | | |
| (City) | (Sta | te) | | (Zip) | |
| | (P | hone number) | | | |

SECTION ONE

| | | | | | | | | Type of V | iolation | | |
|----------------------|-------------|------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| Agrigold Hybrids, \$ | St. Frances | sville, IL | | | | | | | | | |
| | | Corn, field | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Agripro-Coker (Syr | ngenta See | eds), Berthoud, CO | | | | | | | | | |
| | | Wheat | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Agro Distribution L | .LC, St. Jo | seph, MO | | | | | | | | | |
| _ | | Fescue, hard | 1 | 0 | 1 | | 1 | | | | |
| | | Festulolium | 1 | 1 | 0 | | | | | | |
| | | Mixture | 6 | 6 | 0 | | | | | | |
| | | Ryegrass, intermediate | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 88.9% | Total | 9 | 8 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| Agventure Inc., Ke | ntland, IN | | | | | | | | | | |
| | | Soybean | 9 | 9 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMS 2894, Johnsto | on, IA | | | | | | | | | | |
| | | Soybean | 3 | 3 | 0 | | | | | | |
| | | | | | | | | | | | |

| | | | | | | | | | Type of V | iolation | | |
|---------------------|-------------|-------------------|-------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| Asoyia, Inc, Iowa C | ity, IA | | | | | | | | | | | |
| | | Soybean | | 4 | 4 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Т | Γotal | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Baker Creek Heirlo | om Seeds, | Mansfield, MO | | | | | | | | | | |
| | ŕ | Vegetables | | 44 | 42 | 2 | 2 | | | | | |
| Compliance Rate: | 95.5% | Т | Γotal | 44 | 42 | 2 | 2 | 0 | 0 | 0 | 0 | 0 |
| Barenbrug USA, Ta | ngent, OR | | | | | | | | | | | |
| | | Bluegrass, Kentuc | cky | 2 | 1 | 1 | 1 | | | | | |
| | | Clover, red | | 2 | 2 | 0 | | | | | | |
| | | Clover, white | | 1 | 1 | 0 | | | | | | |
| | | Fescue, tall | | 3 | 3 | 0 | | | | | | |
| | | Mixture | | 11 | 11 | 0 | | | | | | |
| | | Orchardgrass | | 2 | 2 | 0 | | | | | | |
| | | Ryegrass, annual | | 1 | 1 | 0 | | | | | | |
| | | Timothy | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 95.7% | Т | Γotal | 23 | 22 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Bayer Cropscience | , Pittsburg | ı, PA | | | | | | | | | | |
| | | Soybean | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Т | Γotal | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Bayer Cropscience | , Lubbock | | | | | | | | | | | |
| | | Cotton | | 14 | 14 | 0 | | | | | | |
| | | Soybean | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | т | Γotal | 15 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | Type of V | iolation | | |
|-------------------------|---------------|------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Labe |
| Belt Fur Wool & Se | ed Co. Led | onard. MO | | | | | | | | | |
| 20.01 0. 1100. 0.00 | ou oo, _o | Wheat, soft red winter | 6 | 6 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Buchheit, Inc, Perry | ville MO | | | | | | | | | | |
| Jacinicit, inic, i cirj | , ville, ivio | Fescue, tall | 3 | 2 | 1 | | | 1 | | | |
| | | Mixture | 1 | 0 | 1 | | 1 | 1 | 1 | 1 | |
| Compliance Rate: | 50.0% | Total | 4 | 2 | 2 | 0 | 1 | 2 | 1 | 1 | 0 |
| Pulland Cood Aphle | and MO | | | | | | | | | | |
| Bullard Seed, Ashla | ana, wo | Wheat | 11 | 11 | 0 | | | | | | |
| | | Wheat, soft | 5 | 5 | 0 | | | | | | |
| | | Wheat, soft red winter | 3 | 3 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 19 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BWI Companies Inc | . Sprinafie | eld. MO | | | | | | | | | |
| | , - [| Clover, Dutch white | 1 | 1 | 0 | | | | | | |
| | | Clover, red | 1 | 1 | 0 | | | | | | |
| | | Fescue, tall | 1 | 1 | 0 | | | | | | |
| | | Mixture | 4 | 3 | 1 | | 1 | | | | |
| | | Ryegrass, annual | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 87.5% | Total | 8 | 7 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| BWI Companies Inc | : Texarkaı | na. TX | | | | | | | | | |
| | , i ozuikui | Mixture | 9 | 9 | 0 | | | | | | |
| | | Ryegrass, annual | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 11 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | Type of Violation | | | | | | |
|---------------------|-------------|------------------|-------|-------------------|----------------|----------------------|-------------------|--------------|----------------------------------|--------------|---------------|-------|--|
| | | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label | |
| Byron Seed Supply | , Marshall | , IN | | | | | | | | | | | |
| | | Clover, red | | 1 | 1 | 0 | | | | | | | |
| Compliance Rate: | 100.0% | | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Cache River Valley | Cash, AR | | | | | | | | | | | | |
| • | · | Rice | | 2 | 2 | 0 | | | | | | | |
| | | Soybean | | 6 | 6 | 0 | | | | | | | |
| | | Wheat | | 1 | 1 | 0 | | | | | | | |
| Compliance Rate: | 100.0% | | Total | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Cal West Seed Con | npany, Wo | odland, CA | | | | | | | | | | | |
| | • • • | Clover, ladino | | 1 | 1 | 0 | | | | | | | |
| Compliance Rate: | 100.0% | | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Caudill Seed & War | ehouse Co | o, Louisville, K | Υ | | | | | | | | | | |
| | | Wheat | | 2 | 2 | 0 | | | | | | | |
| Compliance Rate: | 100.0% | | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Cenex/Land O'Lake | s. Inc. For | rt Dodge. IA | | | | | | | | | | | |
| | ,, | Soybean | | 22 | 21 | 1 | 1 | | | | | | |
| Compliance Rate: | 95.5% | | Total | 22 | 21 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | |
| Central Missouri Aç | griservice, | Marshall, MO | | | | | | | | | | | |
| · | | Soybean | | 2 | 2 | 0 | | | | | | | |
| | | | | | | | | | | | | | |

| | | | | | | | | | Type of V | iolation | | |
|-------------------|------------|-----------------------|-------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| Coop Assn 130, Rh | ineland, N | I O Alfalfa | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | , | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cropland Genetics | , Fort Dod | ge, IA | | | | | | | | | | |
| | | Soybean | | 4 | 4 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crow's Hybrid Cro | w Co, Kent | | | | | | | | | | | |
| | | Corn, field | | 4 | 4 | 0 | 4 | | | | | |
| | | Soybean | | 49 | 48 | 1 | 1 | | | | | |
| Compliance Rate: | 98.1% | | Total | 53 | 52 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Cullum Seed Co, F | isher, AR | | | | | | | | | | | |
| | | Rice | | 6 | 6 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Dairyland Seed Co | Inc, West | Bend, WI | | | | | | | | | | |
| | | Alfalfa | | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Dekalb Plant Gene | tics/Monsa | | , MO | | | | | | | | | |
| | | Corn | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | Type of V | iolation | | |
|--------------------|--------------|--------------------------|-------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| Delange Seed Hous | se, Inc, Gir | rard, KS Fescue, tall | | 1 | 0 | 1 | | | | | 1 | |
| Compliance Rate: | 0.0% | | Total | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 |
| Delta & Pine Land | Co, Scott, | | | | | | | | | | | |
| | | Cotton | | 8 | 8 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 8 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Delta Grow Seed, E | England, A | | | 0 | 0 | 0 | | | | | | |
| | | Soybean | | 8 | 8 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 8 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Des Moines Forage | e & Turf Se | | 1 | _ | | 0 | | | | | | |
| | | Mixture | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Dickey Bub Farm 8 | k Home, Ur | | | | | | | | | | | |
| | | Fescue, tall | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Diebold Orchards, | Benton, M | | | | | | | | | | | |
| | | Vegetables | | 10 | 10 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | Type of V | iolation | | |
|----------------------|-------------|--------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| Discount Seeds Inc | , Watertw | on, SD | | | | | | | | | |
| | | Oat | 2 | 1 | 1 | | | 1 | | | |
| | | Rye | 5 | 5 | 0 | | | | | | |
| Compliance Rate: | 85.7% | Total | 7 | 6 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| El-Mel Inc, Florissa | int, MO | | | | | | | | | | |
| | | Mixture | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| El-Mel, Inc, St. Cha | rles, MO | | | | | | | | | | |
| | | Mixture | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| El-Par Stock & See | d Farm, Ve | ersailles, MO | | | | | | | | | |
| | | Barley | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Evergreen Seed LL | .C, Rice, V | A | | | | | | | | | |
| - | • | Clover | 1 | 0 | 1 | | | 1 | | | |
| | | Clover, crimson | 1 | 1 | 0 | | | | | | |
| | | Clover, medium red | 1 | 1 | 0 | | | | | | |
| | | Millet, foxtail | 1 | 1 | 0 | | | | | | |
| | | Rye | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 80.0% | Total | 5 | 4 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |

| | | | | | | | | Type of V | iolation | | |
|--------------------|-------------|----------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| Evergreen Seed LL | .C, Stockto | on, MO | | | | | | | | | |
| | | Alfalfa | 1 | 1 | 0 | | | | | | |
| | | Bluegrass, Kentucky | 1 | 0 | 1 | | | | 1 | | |
| | | Clover, arrowleaf | 1 | 0 | 1 | | 1 | | | | |
| | | Clover, ladino | 3 | 2 | 1 | 1 | | | | | |
| | | Clover, medium red | 3 | 3 | 0 | | | | | | |
| | | Clover, yellow sweet | 1 | 0 | 1 | 1 | | | | | |
| | | Fescue, tall | 14 | 12 | 2 | 2 | | | | | |
| | | Lespedeza | 3 | 3 | 0 | | | | | | |
| | | Lespedeza, Korean | 2 | 2 | 0 | | | | | | |
| | | Mixture | 10 | 7 | 3 | 2 | 1 | | | | |
| | | Orchardgrass | 7 | 5 | 2 | | 1 | | 2 | 1 | |
| | | Pea, Austrian winter | 1 | 1 | 0 | | | | | | |
| | | Ryegrass, annual | 7 | 6 | 1 | | 1 | | 1 | | |
| | | Ryegrass, perennial | 2 | 2 | 0 | | | | | | |
| | | Timothy | 1 | 1 | 0 | | | | | | |
| | | Triticale | 2 | 2 | 0 | | | | | | |
| | | Vetch, hairy | 1 | 1 | 0 | | | | | | |
| | | Wheat | 2 | 1 | 1 | 1 | | | | | |
| Compliance Rate: | 79.0% | Total | 62 | 49 | 13 | 7 | 4 | 0 | 4 | 1 | 0 |
| Farmers Ag Center | , Mountaiı | n Grove, MO | | | | | | | | | |
| | | Fescue, tall | 5 | 4 | 1 | | | 1 | | | |
| Compliance Rate: | 80.0% | Total | 5 | 4 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| Feldman's, Blue Sp | orings, MC |) | | | | | | | | | |
| ' | | Fescue, creeping red | 1 | 0 | 1 | | 1 | | | | |
| | | Fescue, tall | 4 | 4 | 0 | | | | | | |
| Compliance Rate: | 80.0% | Total | 5 | 4 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |

| | | | | | | | | Type of V | iolation | | |
|--------------------|-------------|------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| Ferguson Seed Fa | rms. Glasq | ow. MO | | | | | | | | | |
| 3 | , . | Wheat, soft red winter | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ferry-Morse Seed | Company, | Fulton, KY | | | | | | | | | |
| | | Fescue, tall | 4 | 4 | 0 | | | | | | |
| | | Mixture | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Feyh Farm Seed C | o, Alma, K | | | | | | | | | | |
| | | Brome, smooth | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Flick Seed Co, Kin | gsville, MC |) | | | | | | | | | |
| | | Fescue, tall | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fontanelle Hybrids | s, Fontanel | le, NE | | | | | | | | | |
| | | Corn | 1 | 1 | 0 | | | | | | |
| | | Soybean | 10 | 8 | 2 | 2 | | | | | |
| Compliance Rate: | 81.8% | Total | 11 | 9 | 2 | 2 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | Type of V | iolation | | |
|--------------------|-------------|--|-----------|---------|-----------|--------|------|------------|----------|-------|-------|
| | | | | | | | | Noxious / | | | |
| | | | Lots | Lots | Lots in | Germi- | Pure | Prohibited | Weed | Other | |
| | | | Inspected | Passed | Violation | nation | Seed | Weeds | Seed | Crop | Label |
| 0 B B - L' 0 | | . 0 . 11 | | | | | | | | | |
| G R Robinson Seed | a & Service | e Co, University City, I Mixture | VIO 28 | 28 | 0 | | | | | | |
| | | Ryegrass, annual | 20 1 | 20 1 | 0 | | | | | | |
| | | Ryegrass, arriual Ryegrass, perennial | 1 | 1 | 0 0 | | | | | | |
| | | Nyegrass, pereninal | Į. | ı | U | | | | | | |
| Compliance Rate: | 100.0% | Total | 30 | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| George Keller & So | ns Co Ou | incv II | | | | | | | | | |
| deorge Keller & 30 | iis Co, Qu | Alfalfa | 1 | 1 | 0 | | | | | | |
| | | Bluegrass, Kentucky | 4 | 1 | 3 | 3 | 1 | | | | |
| | | Clover, medium red | 1 | 1 | 0 | | • | | | | |
| | | Fescue, creeping red | 1 | 0 | 1 | 1 | | | | | |
| | | Fescue, tall | 4 | 3 | 1 | | 1 | | | 1 | |
| | | Lespedeza | 1 | 1 | 0 | | | | | | |
| | | Mixture | 7 | 6 | 1 | 1 | | | | | |
| | | Ryegrass, annual | 2 | 2 | 0 | | | | | | |
| | | Ryegrass, perennial | 2 | 1 | 1 | | 1 | | | | |
| | | Timothy | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 70.8% | Total | 24 | 17 | 7 | 5 | 3 | 0 | 0 | 1 | 0 |
| Grass Pad Wareho | use, Olath | e, KS | | | | | | | | | |
| | • | Mixture | 8 | 8 | 0 | | | | | | |
| | 100.0% | Total | 8 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | Type of V | iolation | | |
|-------------------------|---------------------|-------------------|----------------|----------------------|------------------|--------------|---------------------|--------------|---------------|------|
| | | | | | | | Noxious / | | | |
| | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Prohibited Weeds | Weed Seed | Other Crop | Labe |
| reen Seed Co Inc, Sprin | gfield, MO | | | | | | | | | |
| , , | Alfalfa | 4 | 3 | 1 | 1 | | | | | |
| | Bluegrass, Kentucky | 1 | 0 | 1 | 1 | | | | | |
| | Brome, smooth | 1 | 0 | 1 | 1 | | | | | |
| | Canarygrass, reed | 1 | 1 | 0 | | | | | | |
| | Clover, ladino | 1 | 1 | 0 | | | | | | |
| | Clover, medium red | 1 | 1 | 0 | | | | | | |
| | Clover, red | 1 | 1 | 0 | | | | | | |
| | Fescue, tall | 28 | 14 | 14 | 9 | 1 | 5 | | | |
| | Lespedeza, Korean | 2 | 1 | 1 | | 1 | | | | 1 |
| | Millet, pearl | 1 | 1 | 0 | | | | | | |
| | Mixture | 12 | 7 | 5 | 2 | | 4 | | | |
| | Orchardgrass | 10 | 6 | 4 | | 2 | | 2 | | |
| | Ryegrass, annual | 7 | 7 | 0 | | | | | | |
| | Ryegrass, perennial | 7 | 7 | 0 | | | | | | |
| | Sorghum-sudangrass | 1 | 1 | 0 | | | | | | |
| | Sunflower | 1 | 1 | 0 | | | | | | |
| | Timothy | 4 | 0 | 4 | 4 | | | | 1 | |
| | Vegetables | 4 | 4 | 0 | | | | | | |
| ompliance Rate: 64.4 | % Total | 87 | 56 | 31 | 18 | 4 | 9 | 2 | 1 | 1 |

| | | | | | | | | Type of V | iolation | | |
|--------------------------|--------------|---------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| Green Valley Seed | Inc, Kahol | | | | | | | | | | |
| | | Alfalfa | 11 | 11 | 0 | | | | | | |
| | | Brome, smooth | 3 | 2 | 1 | 1 | | | | | |
| | | Canarygrass, reed | 1 | 1 | 0 | | | | | | |
| | | Clover, ladino | 2 | 2 | 0 | | | | | | |
| | | Clover, medum red | 2 | 2 | 0 | | | | | | |
| | | Clover, red | 1 | 1 | 0 | | | | | | |
| | | Clover, white | 1 | 1 | 0 | | | | | | |
| | | Fescue, creeping | 2 | 2 | 0 | | | | | | |
| | | Fescue, tall | 4 | 3 | 1 | | 1 | | | 1 | |
| | | Lespedeza | 1 | 1 | 0 | | | | | | |
| | | Mixture | 3 | 3 | 0 | | | | | | |
| | | Oat | 2 | 1 | 1 | 1 | | | | | |
| | | Orchardgrass | 4 | 4 | 0 | | | | | | |
| | | Rye | 2 | 2 | 0 | | | | | | |
| | | Ryegrass, annual | 2 | 2 | 0 | | | | | | |
| | | Ryegrass, perennial | 1 | 1 | 0 | | | | | | |
| | | Sorghum | 1 | 1 | 0 | | | | | | |
| | | Sorghum-sudangrass | 2 | 1 | 1 | 1 | | | | | |
| | | Soybean | 10 | 10 | 0 | | | | | | |
| | | Timothy | 3 | 3 | 0 | | | | | | |
| | | Trefoil, birdsfoot | 1 | 1 | 0 | | | | | | |
| | | Triticale | 1 | 1 | 0 | | | | | | |
| | | Turnip, white globe | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 93.4% | Total | 61 | 57 | 4 | 3 | 1 | 0 | 0 | 1 | 0 |
| Gro Direct Inc, Mor | nticello, IN | | 4 | 4 | 0 | | | | | | |
| | | Corn, field | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | Type of V | iolation | | |
|--------------------|----------------|------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Labe |
| Growmark Inc, Blo | ominaton. | IL | | | | | | | | | |
| , | ·······j·····, | Corn | 1 | 1 | 0 | | | | | | |
| | | Soybean | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Haas Seed House, | Albers, IL | | | | | | | | | | |
| | | Wheat | 1 | 1 | 0 | | | | | | |
| | | Wheat, soft red winter | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Haldeman Seed LL | .C, Labelle | , MO | | | | | | | | | |
| | | Brome, smooth | 1 | 0 | 1 | 1 | | 1 | | 1 | |
| | | Fescue, tall | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 50.0% | Total | 2 | 1 | 1 | 1 | 0 | 1 | 0 | 1 | 0 |
| Helena Chemical, I | Bridgeton, | MO | | | | | | | | | |
| | | Mixture | 3 | 2 | 1 | | 1 | | | | |
| | | Ryegrass, annual | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 75.0% | Total | 4 | 3 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| | _enexa, KS | 3 | | | | | | | | | |
| Helena Chemical, I | | Fescue, tall | 1 | 1 | 0 | | | | | | |
| Helena Chemical, I | | | _ | 2 | 0 | | | | | | |
| Helena Chemical, I | | Mixture | 2 | 2 | U | | | | | | |

| | | | | | | | | Type of V | iolation/ | | |
|--------------------|------------|------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Labe |
| Hoegemeyer Hybric | ls, Hoope | r, NE | | | | | | | | | |
| | • | Soybean | 3 | 3 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hoffman & Reed Inc | c. Trenton | . MO | | | | | | | | | |
| | , | Wheat, hard red winter | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hummert Internatio | nal, Earth | City, MO | | | | | | | | | |
| | | Mixture | 13 | 13 | 0 | | | | | | |
| | | Ryegrass, annual | 1 | 1 | 0 | | | | | | |
| | | Ryegrass, perennial | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 15 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hummert Internatio | nal, Topel | ka, KS | | | | | | | | | |
| | | Fescue, tall | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Johnston Seed Cor | npany, As | hburn, GA | | | | | | | | | |
| | | Fescue, tall | 1 | 0 | 1 | 1 | | | | | |
| Compliance Rate: | 0.0% | Total | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Johnston Seed Cor | npany, En | | | | | | | | | | |
| | | Bermudagrass | 1 | 1 | 0 | | | | | | |
| | | | | | 0 | 0 | 0 | 0 | 0 | | |

| | | | | | | | | Type of V | iolation | | |
|--------------------|-------------|------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Labe |
| King City Seed & S | torage, Kii | ng City, MO | | | | | | | | | |
| | | Soybean | 41 | 41 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 41 | 41 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Kruger Seed Comp | any, Dike, | IA | | | | | | | | | |
| | | Soybean | 27 | 27 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 27 | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lay Seed Co, Labe | lle, MO | | | | | | | | | | |
| | | Fescue, tall | 2 | 2 | 0 | | | | | | |
| | | Wheat, soft red winter | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Le Mars Agri Cente | er, Le Mars | , IA | | | | | | | | | |
| | | Oat | 4 | 3 | 1 | 1 | | | | | |
| Compliance Rate: | 75.0% | Total | 4 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Lebanon Lawn & G | arden, Bri | stol, IL | | | | | | | | | |
| | | Mixture | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lebanon Seaboard | Corporati | on, Lebanon, PA | | | | | | | | | |
| | | Fescue, tall | 1 | 1 | 0 | | | | | | |
| | | Mixture | 8 | 8 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | Type of V | iolation | | |
|----------------------|--------------|------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| Leeton Elevator Inc | ;, Leeton, I | MO | | | | | | | | | |
| | | Fescue, tall | 3 | 3 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Leo Stroebel & Son | Seed, Co | ncordia, MO | | | | | | | | | |
| | | Soybean | 3 | 3 | 0 | | | | | | |
| | | Wheat, soft red winter | 3 | 3 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lesco Inc, Clevelar | nd, OH | | | | | | | | | | |
| | | Fescue, tall | 1 | 0 | 1 | | 1 | | | | |
| | | Mixture | 33 | 33 | 0 | | | | | | |
| Compliance Rate: | 97.1% | Total | 34 | 33 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| Lewis Hybrids Inc, | Ursa, IL | | | | | | | | | | |
| | | Alfalfa | 1 | 1 | 0 | | | | | | |
| | | Soybean | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lick Skillet Seeds I | nc, Gallati | n, MO | | | | | | | | | |
| | | Wheat | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | Type of V | iolation | | |
|--------------------------------|-------------|------------------------|-------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| Lortscher Agri Serv | vice, Bern, | KS Wheat | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Merschman Seeds | Inc, West | | | | | | | | | | | |
| | | Corn, field Soybean | | 1 26 | 1 26 | 0 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 27 | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MFA Agri Service, | Macon, MC | | | | | | | | | | | |
| | | Clover, red | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MFA Agri Service, ^v | Warrenton | | | _ | | | | | | | | |
| | | Mixture | | 2 | 1 | 1 | 1 | | | | | |
| Compliance Rate: | 50.0% | | Total | 2 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| MFA Agri Service, ^v | Wentzville | | | | | | | | | | | |
| | | Mixture | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MFA Exchange, Bo | onville, M | | | | | | | | | | | |
| | | Clover, red | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | Type of V | iolation | | |
|---------------------------|---------------------------------|-----------|---------|-----------|--------|------|------------|----------|-------|------|
| | | | | | | | Noxious / | | | |
| | | Lots | Lots | Lots in | Germi- | Pure | Prohibited | Weed | Other | |
| | | Inspected | Passed | Violation | nation | Seed | Weeds | Seed | Crop | Labe |
| FA Inc. Seed Division, Co | olumbia. MO | | | | | | | | | |
| , , , | Alfalfa | 8 | 8 | 0 | | | | | | |
| | Bermudagrass | 1 | 1 | 0 | | | | | | |
| | Bluegrass, Kentucky | 3 | 3 | 0 | | | | | | |
| | Brome | 1 | 0 | 1 | 1 | | | | | |
| | Brome, smooth | 6 | 3 | 3 | 3 | | | | | |
| | Canarygrass, reed | 4 | 2 | 2 | 2 | | | | | |
| | Clover, alsike | 4 | 4 | 0 | | | | | | |
| | Clover, ladino | 4 | 4 | 0 | | | | | | |
| | Clover, medium red | 2 | 2 | 0 | | | | | | |
| | Clover, white | 2 | 2 | 0 | | | | | | |
| | Clover, yellow blossom s | 3 | 1 | 2 | 2 | | | | | |
| | Corn | 22 | 22 | 0 | _ | | | | | |
| | Corn, field | 7 | 7 | 0 | | | | | | |
| | Cowpea | 1 | 1 | 0 | | | | | | |
| | Fescue, creeping red | 3 | 3 | 0 | | | | | | |
| | Fescue, tall | 47 | 40 | 7 | 2 | 1 | 4 | | 1 | |
| | Lespedeza, Korean | 9 | 9 | 0 | _ | • | • | | • | |
| | Millet, Japanese | 1 | 1 | 0 | | | | | | |
| | Millet, pearl | 3 | 3 | 0 | | | | | | |
| | Mixture | 34 | 28 | 6 | 5 | 1 | | | | |
| | Oat | 2 | 2 | 0 | Ü | • | | | | |
| | Oat, spring | 1 | 1 | 0 | | | | | | |
| | Orchardgrass | 14 | 14 | 0 | | | | | | |
| | Rape | 1 | 1 | 0 | | | | | | |
| | Redtop | 1 | 1 | 0 | | | | | | |
| | Rye | 4 | 4 | 0 | | | | | | |
| | Ryegrass, annual | 5 | 5 | 0 | | | | | | |
| | Ryegrass, intermediate | 1 | 1 | 0 | | | | | | |
| | Ryegrass, intermediate | 7 | 7 | 0 | | | | | | |
| | Sorghum | 2 | 2 | 0 | | | | | | |
| | Sorghum-sudangrass | 1 | 1 | 0 | | | | | | |
| | Soybean | 22 | 1 22 | 0 | | | | | | |
| | Teff | 1 | 1 | 0 | | | | | | |
| | Timothy | 1 12 | 1 10 | | 1 | | 1 | | | |
| | | | | 2 | ı | 1 | ı | | 4 | |
| | Trefoil, birdsfoot Triticale | 2 1 | 1 1 | 1 0 | | 1 | | | 1 | |

| | | | | | | | | Type of V | iolation | | |
|-------------------|----------|------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Labe |
| | | Vegetable | 1 | 1 | 0 | | | | | | |
| | | Vetch, hairy | 1 | 1 | 0 | | | | | | |
| | | Wheat | 25 | 25 | 0 | | | | | | |
| | | Wheat, soft red winter | 33 | 32 | 1 | 1 | | | | | |
| Compliance Rate: | 91.7% | Total | 302 | 277 | 25 | 17 | 3 | 5 | 0 | 2 | 0 |
| MFA Incorporated, | Columbia | , MO | | | | | | | | | |
| • | | Alfalfa | 2 | 2 | 0 | | | | | | |
| | | Brome, smooth | 2 | 2 | 0 | | | | | | |
| | | Clover, ladino & white | 1 | 1 | 0 | | | | | | |
| | | Clover, medium red | 4 | 4 | 0 | | | | | | |
| | | Corn | 2 | 2 | 0 | | | | | | |
| | | Fescue, creeping red | 1 | 1 | 0 | | | | | | |
| | | Fescue, tall | 12 | 10 | 2 | 2 | | | | | |
| | | Lespedeza, Korean | 1 | 1 | 0 | | | | | | |
| | | Millet, Japanese | 1 | 1 | 0 | | | | | | |
| | | Mixture | 8 | 8 | 0 | | | | | | |
| | | Orchardgrass | 5 | 4 | 1 | | | | | 1 | |
| | | Ryegrass, annual | 1 | 1 | 0 | | | | | | |
| | | Ryegrass, perennial | 1 | 1 | 0 | | | | | | |
| | | Soybean | 64 | 64 | 0 | | | | | | |
| | | Timothy | 4 | 4 | 0 | | | | | | |
| Compliance Rate: | 97.2% | Total | 109 | 106 | 3 | 2 | 0 | 0 | 0 | 1 | 0 |

| | | | | | | | | Type of V | iolation | | |
|----------------------|-------------|------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| MFA Seed Dist, Se | dalia MO | | | | | | | | | | |
| iiii A Occu Dist, oc | dana, mo | Alfalfa | 2 | 2 | 0 | | | | | | |
| | | Bluegrass, Kentucky | 1 | 1 | 0 | | | | | | |
| | | Clover, medium red | 2 | 2 | 0 | | | | | | |
| | | Clover, red | 3 | 3 | 0 | | | | | | |
| | | Clover, white | 1 | 1 | 0 | | | | | | |
| | | Fescue, creeping red | 2 | 1 | 1 | 1 | | | | | |
| | | Fescue, tall | 11 | 8 | 3 | • | 3 | | 1 | 1 | |
| | | Mixture | 6 | 4 | 2 | 2 | Ü | | • | • | |
| | | Orchardgrass | 6 | 5 | 1 | _ | 1 | | | | |
| | | Pea, Austrian winter | 1 | 1 | 0 | | • | | | | |
| | | Rape | 1 | 1 | 0 | | | | | | |
| | | Ryegrass, annual | 10 | 10 | 0 | | | | | | |
| | | Ryegrass, perennial | 5 | 5 | 0 | | | | | | |
| | | Trefoil, birdsfoot | 2 | 2 | 0 | | | | | | |
| | | Vegetable, Turnip | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 87.3% | Total | 55 | 48 | 7 | 3 | 4 | 0 | 1 | 1 | 0 |
| Mid-State Seed & S | Storage, Ma | arshall, MO | | | | | | | | | |
| | | Wheat, soft | 7 | 7 | 0 | | | | | | |
| | | Wheat, soft red winter | 5 | 5 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 12 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Midwest Premium | Genetics, (| Concordia, MO | | | | | | | | | |
| | · | Soybean | 6 | 6 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | Type of V | iolation | | |
|---------------------|-------------|---------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| /lidwest Seed Gene | tic Inc, Ca | arroll, IA | | | | | | | | | |
| | | Corn | 1 | 1 | 0 | | | | | | |
| | | Soybean | 22 | 22 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 23 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| lissouri Southern S | Seed. Roll | a. MO | | | | | | | | | |
| | , | Alfalfa | 13 | 12 | 1 | 1 | | | | | |
| | | Bermudagrass | 1 | 1 | 0 | - | | | | | |
| | | Bluegrass, Kentucky | 2 | 2 | 0 | | | | | | |
| | | Brassica | 1 | 1 | 0 | | | | | | |
| | | Brome, smooth | 7 | 6 | 1 | | | 1 | | | |
| | | Buckwheat | 2 | 2 | 0 | | | | | | |
| | | Canarygrass, reed | 2 | 2 | 0 | | | | | | |
| | | Clover, alsike | 4 | 4 | 0 | | | | | | |
| | | Clover, crimson | 2 | 2 | 0 | | | | | | |
| | | Clover, ladino | 4 | 4 | 0 | | | | | | |
| | | Clover, ladino & white | 4 | 4 | 0 | | | | | | |
| | | Clover, mammoth red | 1 | 1 | 0 | | | | | | |
| | | Clover, medium red | 23 | 22 | 1 | | | 1 | | | |
| | | Clover, red | 5 | 5 | 0 | | | | | | |
| | | Clover, white | 1 | 1 | 0 | | | | | | |
| | | Clover, yellow sweet | 2 | 0 | 2 | 1 | | 2 | | | |
| | | Cowpea | 2 | 2 | 0 | | | | | | |
| | | Fescue, creeping red | 4 | 3 | 1 | 1 | | | | | |
| | | Fescue, tall | 73 | 60 | 13 | 7 | 6 | | 1 | 1 | |
| | | Lespedeza | 16 | 14 | 2 | | 1 | | 2 | | |
| | | Lespedeza, Korean | 2 | 2 | 0 | | | | | | |
| | | Millet | 1 | 1 | 0 | | | | | | |
| | | Millet, German or foxtail | 1 | 0 | 1 | 1 | | | | | |
| | | Millet, Japanese | 2 | 2 | 0 | | | | | | |
| | | Millet, pearl | 1 | 1 | 0 | | | | | | |
| | | Millet, white proso | 1 | 1 | 0 | | | | | | |
| | | Mixture | 48 | 31 | 17 | 8 | 9 | | | 3 | |
| | | Oat | 1 | 1 | 0 | | | | | | |
| | | Orchardgrass | 15 | 14 | 1 | | 1 | | 1 | 1 | |

| | | | | | | | | Type of V | iolation | | |
|------------------|--------------|----------------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| | | Rape | 2 | 2 | 0 | | | | | | |
| | | Ryegrass, annual | 11 | 11 | 0 | | | | | | |
| | | Ryegrass, intermediate | 3 | 3 | 0 | | | | | | |
| | | Ryegrass, perennial | 13 | 12 | 1 | | 1 | | | | |
| | | Sorghum | 2 | 2 | 0 | | | | | | |
| | | Sorghum, grain | 1 | 1 | 0 | | | | | | |
| | | Sorghum-sudangrass | 2 | 2 | 0 | | | | | | |
| | | Soybean | 2 | 2 | 0 | | | | | | |
| | | Sunflower | 1 | 1 | 0 | | | | | | |
| | | Teff | 1 | 1 | 0 | | | | | | |
| | | Timothy | 20 | 14 | 6 | 6 | | | | | |
| | | Trefoil, birdsfoot | 1 | 1 | 0 | | | | | | |
| | | Vegetable | 7 | 7 | 0 | | | | | | |
| | | Vetch | 3 | 3 | 0 | | | | | | |
| | | Wheat | 1 | 1 | 0 | | | | | | |
| | | Wheat, soft red winter | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 85.0% | Total | 313 | 266 | 47 | 25 | 18 | 4 | 4 | 5 | 0 |
| Monsanto Compan | ıv. St. Loui | s. MO | | | | | | | | | |
| | , , | Corn, field | 14 | 14 | 0 | | | | | | |
| | | Soybean | 535 | 535 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 549 | 549 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | |
| Monsanto Seed Co | (Asgrow) | | 4 | 4 | 0 | | | | | | |
| Monsanto Seed Co | (Asgrow) | , Matthews, MO Soybean | 1 | 1 | 0 | | | | | | |
| Monsanto Seed Co | (Asgrow) | | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 100.0% | Soybean Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Compliance Rate: | 100.0% | Soybean | | | | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | Type of V | iolation | | |
|---------------------|-------------|-------------|-------|-------------------|----------------|-------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| Morning Sun Seed | s Westhor | ·o MO | | | | | | | | | | |
| worming out occu | 3, 11031501 | Soybean | | 9 | 9 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Mycogen Seeds, In | dianapolis | s, IN | | | | | | | | | | |
| | | Corn | | 1 | 1 | 0 | | | | | | |
| | | Soybean | | 24 | 22 | 2 | 2 | | | | | |
| Compliance Rate: | 92.0% | | Total | 25 | 23 | 2 | 2 | 0 | 0 | 0 | 0 | 0 |
| N C + Hybrids, Line | oln, NE | | | | | | | | | | | |
| | | Soybean | | 17 | 17 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 17 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Neco Seed, Garder | City, MO | | | | | | | | | | | |
| | | Soybean | | 38 | 38 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 38 | 38 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nemo Seed & Grai | n, Palmyra | , MO | | | | | | | | | | |
| | | Clover, red | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | Type of V | iolation/ | | |
|--------------------|------------|------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Labe |
| Nixa Hardware, Nix | a, MO | | | | | | | | | | |
| | | Alfalfa | 1 | 1 | 0 | | | | | | |
| | | Clover, alsike | 1 | 0 | 1 | | | | 1 | | |
| | | Clover, crimson | 1 | 1 | 0 | | | | | | |
| | | Clover, ladino | 1 | 1 | 0 | | | | | | |
| | | Clover, red | 2 | 1 | 1 | | | 1 | | | |
| | | Fescue | 1 | 1 | 0 | | | | | | |
| | | Fescue, tall | 1 | 1 | 0 | | | | | | |
| | | Lespedeza | 3 | 3 | 0 | | | | | | |
| | | Mixture | 3 | 3 | 0 | | | | | | |
| | | Oat, spring | 1 | 1 | 0 | | | | | | |
| | | Orchardgrass | 2 | 2 | 0 | | | | | | |
| | | Ryegrass, intermediate | 1 | 1 | 0 | | | | | | |
| | | Ryegrass, perennial | 1 | 1 | 0 | | | | | | |
| | | Vegetable | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 90.0% | Total | 20 | 18 | 2 | 0 | 0 | 1 | 1 | 0 | 0 |
| Nutech, Leland, IA | | | | | | | | | | | |
| , , | | Corn, field | 3 | 3 | 0 | | | | | | |
| | | Soybean | 10 | 9 | 1 | 1 | | | | | |
| Compliance Rate: | 92.3% | Total | 13 | 12 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Nutech Seed, LLC, | Forest Cit | v. IA | | | | | | | | | |
| , | | Soybean | 26 | 20 | 6 | 6 | | | | | |
| Compliance Rate: | 76.9% | Total | 26 | 20 | 6 | 6 | 0 | 0 | 0 | 0 | 0 |
| Paulsmeyer Seed F | arms, Sile | ex, MO | | | | | | | | | |
| - | • | Wheat, soft red winter | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | Type of V | iolation | | |
|--------------------|------------|------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Labe |
| Pennington Seed, I | Madison, C | SA | | | | | | | | | |
| | | Clover, white | 3 | 3 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Tota | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Pennington Seed II | nc, Greenf | | | | | | | | | | |
| | | Clover, white | 3 | 3 | 0 | | | | | | |
| | | Fescue, tall | 12 | 11 | 1 | | | 1 | | | |
| | | Mixture | 130 | 130 | 0 | | | | | | |
| | | Ryegrass | 1 | 1 | 0 | | | | | | |
| | | Ryegrass, annual | 9 | 9 | 0 | | | | | | |
| Compliance Rate: | 99.4% | Tota | l 155 | 154 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| Pennington Seed II | nc, Lebanc | on, OR | | | | | | | | | |
| J | • | Fescue, tall | 3 | 1 | 2 | | 2 | | | | |
| | | Mixture | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 50.0% | Tota | l 4 | 2 | 2 | 0 | 2 | 0 | 0 | 0 | 0 |
| Peterson Genetics, | Cedar Fal | lls, IA | | | | | | | | | |
| | | Soybean | 8 | 8 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Tota | l 8 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Phytogen Seed Co | LLC, India | napolic, IN | | | | | | | | | |
| | | Cotton | 6 | 6 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Tota | I 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | Type of V | iolation | | |
|--------------------|-------------|--------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Labe |
| Pioneer Hi-Bred In | ternational | , Johnston, IA | | | | | | | | | |
| | | Alfalfa | 4 | 4 | 0 | | | | | | |
| | | Corn, field | 66 | 65 | 1 | 1 | | | | | |
| | | Sorghum | 1 | 1 | 0 | | | | | | |
| | | Sorghum, grain | 3 | 3 | 0 | | | | | | |
| | | Sorghum-sudangrass | 1 | 1 | 0 | | | | | | |
| | | Soybean | 37 | 37 | 0 | | | | | | |
| | | Wheat | 12 | 12 | 0 | | | | | | |
| Compliance Rate: | 99.2% | Total | 124 | 123 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Powell Seed Farm, | Linneus, I | | | | | | | | | | |
| | | Orchardgrass | 1 | 0 | 1 | 1 | | | | | 1 |
| Compliance Rate: | 0.0% | Total | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 |
| Producers Hybrids | Inc, Battle | e Creek, NE | | | | | | | | | |
| | | Soybean | 11 | 10 | 1 | 1 | | | | | |
| Compliance Rate: | 90.9% | Total | 11 | 10 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Production Plus, P | lainview, T | ТХ | | | | | | | | | |
| | | Sorghum-sudangrass | 3 | 3 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Progeny Ag Produ | cts - Erwin | - Kieth, Wynne, AR | | | | | | | | | |
| - | | Wheat | 1 | 1 | 0 | | | | | | |
| | | | | | | | | | | | |

| | | | | | | | | Type of V | iolation | | |
|---------------------|-------------|---------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Labe |
| Progeny Seed, Wyr | ne, AR | | | | | | | | | | |
| | | Soybean | 5 | 5 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rex and Amy Hami | lton, Elk C | creek, MO | | | | | | | | | |
| • | | Bluestem, big | 1 | 0 | 1 | 1 | 1 | | | | |
| | | Gammagrass, eastern | 1 | 1 | 0 | | | | | | |
| | | Indiangrass | 2 | 0 | 2 | 2 | 1 | | | | |
| Compliance Rate: | 25.0% | Total | 4 | 1 | 3 | 3 | 2 | 0 | 0 | 0 | 0 |
| Ricetec Inc, Alvin, | гх | | | | | | | | | | |
| | | Rice | 23 | 23 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 23 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rieschick Seed, So | ldier, KS | | | | | | | | | | |
| | | Brome, smooth | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sansgaard Seed Fa | ırm Inc. St | orv Citv. IA | | | | | | | | | |
| . | , | Soybean | 3 | 2 | 1 | 1 | | | | | |
| Compliance Rate: | 66.7% | Total | 3 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Schlessman Seed (| Co, Milan, | ОН | | | | | | | | | |
| | | Corn, pop | 1 | 1 | 0 | | | | | | |
| | | | | | 0 | 0 | 0 | 0 | 0 | | |

| | | | | | | | | Type of V | iolation | | |
|--------------------|-------------|---------------------|-------------------|----------------|----------------------|------------------|--------------|---------------------|--------------|---------------|-------|
| | | | | | | | | Noxious / | | | |
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Prohibited Weeds | Weed Seed | Other Crop | Label |
| Scotts Company, N | larysville, | ОН | | | | | | | | | |
| | | Mixture | 6 | 6 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Seeds By Design Ir | nc, Maxwe | II, CA | | | | | | | | | |
| | | Vegetable | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Seeds, Inc, Memph | is, TN | | | | | | | | | | |
| | | Bermudagrass | 1 | 1 | 0 | | | | | | |
| | | Fescue, tall | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Seeds, Inc, Tekoa, | WA | | | | | | | | | | |
| | | Bluegrass, Kentucky | 1 | 0 | 1 | 1 | | | | | |
| Compliance Rate: | 0.0% | Total | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | Type of V | iolation | | |
|--------------------|------------|------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| Shawneetown Feed | d & Seed C | Co, Jackson, MO | | | | | | | | | |
| | | Alfalfa | 1 | 1 | 0 | | | | | | |
| | | Bluegrass, Kentucky | 2 | 2 | 0 | | | | | | |
| | | Clover, ladino & white | 1 | 1 | 0 | | | | | | |
| | | Clover, medium red | 1 | 1 | 0 | | | | | | |
| | | Fescue, creeping red | 1 | 1 | 0 | | | | | | |
| | | Fescue, tall | 2 | 1 | 1 | 1 | | | | | |
| | | Lespedeza, Korean | 1 | 1 | 0 | | | | | | |
| | | Orchardgrass | 1 | 1 | 0 | | | | | | |
| | | Redtop | 1 | 1 | 0 | | | | | | |
| | | Rye | 1 | 1 | 0 | | | | | | |
| | | Sunflower | 1 | 1 | 0 | | | | | | |
| | | Timothy | 2 | 2 | 0 | | | | | | |
| | | Vegetable | 3 | 3 | 0 | | | | | | |
| | | Wheat | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 95.0% | Total | 20 | 19 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Siemer Enterprises | , Teutopo | lis, IL | | | | | | | | | |
| • | • | Bluegrass, Kentucky | 3 | 3 | 0 | | | | | | |
| | | Fescue, tall | 20 | 16 | 4 | 1 | 1 | 1 | | 1 | |
| | | Mixture | 15 | 15 | 0 | | | | | | |
| | | Oat | 2 | 2 | 0 | | | | | | |
| | | Ryegrass, annual | 1 | 1 | 0 | | | | | | |
| | | Ryegrass, perennial | 5 | 5 | 0 | | | | | | |
| Compliance Rate: | 91.3% | Total | 46 | 42 | 4 | 1 | 1 | 1 | 0 | 1 | 0 |
| Sikeston Seed Con | npany. Sik | eston, MO | | | | | | | | | |
| | ,y, | Soybean | 2 | 2 | 0 | | | | | | |
| | | Wheat, soft red winter | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | Type of V | iolation | | |
|----------------------|-------------|------------------------|-------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| Stine Seed Farm In | c, Adel, IA | | | | | | | | | | | |
| | | Corn, field Soybean | | 1 20 | 1 19 | 0 1 | 1 | | | | | |
| Compliance Rate: | 95.2% | | Total | 21 | 20 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Stoddard Co Seed | Service, D | - | | | | | | | | | | |
| | | Soybean | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Stone Seed Farms | Inc, Pleas | | | _ | 4 | 0 | | | | | | |
| | | Soybean | | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Stuttgart Seed Co I | nc, Stuttg | | | | | | | | | | | |
| | | Oat | | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Syngenta Seed Inc | , Minneapo | | | | | | | | | | | |
| | | Alfalfa Soybean | | 1 106 | 1 106 | 0 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 107 | 107 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| T & N Inc, Foristell | , MO | N.C. | | _ | 6 | 0 | | | | | | |
| | | Mixture | | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 100.0% | | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | Type of Violation | | | | | | |
|--------------------|--------------|-----------------------------|-------------------|----------------|----------------------|-------------------|--------------|----------------------------------|--------------|---------------|-------|--|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label | |
| Гаnner Seed Co, В | ernie, MO | Rice | 2 | 2 | 0 | | | | | | | |
| | | NICE | 2 | 2 | U | | | | | | | |
| Compliance Rate: | 100.0% | Tot | al 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Taylor Seed Farms | , White Clo | oud, KS | | | | | | | | | | |
| | | Wheat | 1 | 1 | 0 | | | | | | | |
| Compliance Rate: | 100.0% | Tot | al 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Tennessee Farmer | s Coop, La | avergne, TN Fescue, tall | 1 | 0 | 1 | 1 | | | | | | |
| Compliance Rate: | 0.0% | Tot | al 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | |
| Tri-Star Seed Com | pany, Sprii | ng Hill, KS | | | | | | | | | | |
| ' | , , , | Fescue, tall | 3 | 1 | 2 | 2 | | | | | | |
| | | Mixture | 1 | 1 | 0 | | | | | | | |
| Compliance Rate: | 50.0% | Tot | al 4 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | |
| Turf Merchants Inc | , Tangent, | OR | | | | | | | | | | |
| | | Bluegrass, Kentucky | 2 | 1 | 1 | 1 | | | | | | |
| Compliance Rate: | 50.0% | Tot | al 2 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | |
| Turner Seed, Lave | rgne, TN | | | | | | | | | | | |
| | | Alfalfa | 1 | 1 | 0 | | | | | | | |
| | | | | | | | | | | | | |

| | | | | | | | | Type of V | iolation | | |
|---------------------|--------------|------------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| UAP Distribution Ir | nc, Greelev | , CO | | | | | | | | | |
| | , , | Alfalfa | 1 | 1 | 0 | | | | | | |
| | | Corn, field | 3 | 3 | 0 | | | | | | |
| | | Cotton | 3 | 3 | 0 | | | | | | |
| | | Soybean | 47 | 45 | 2 | 2 | | | | | |
| Compliance Rate: | 96.3% | Total | 54 | 52 | 2 | 2 | 0 | 0 | 0 | 0 | 0 |
| Valley Park Elevato | or, Valley P | ark, MO | | | | | | | | | |
| | | Mixture | 4 | 4 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Weber Seeds Inc, N | Marshall. N | 10 | | | | | | | | | |
| , | , | Soybean | 2 | 2 | 0 | | | | | | |
| | | Wheat, soft red winter | 11 | 11 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 13 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Welter Seed & Hon | ey Co, Ons | slow, IA | | | | | | | | | |
| | | Oat | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Willcross Hybrids I | nc, Gardeı | n City, MO | | | | | | | | | |
| - | | Corn, field | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | Type of V | iolation | | |
|---------------------|-------------|----------------------|-------------------|----------------|----------------------|------------------|--------------|----------------------------------|--------------|---------------|-------|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label |
| | | | - 1 | | | | | | | | |
| Willcross Seed, Kin | g City, MC | | | | | | | | | | |
| | | Wheat | 2 | 2 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Villiams Lawn See | d Co. Marv | ville. MO | | | | | | | | | |
| | ,, | Bluegrass, Kentucky | 31 | 27 | 4 | 3 | 2 | | | | |
| | | Brome, smooth | 1 | 1 | 0 | - | _ | | | | |
| | | Clover, medium red | 1 | 1 | 0 | | | | | | |
| | | Fescue, chewings | 4 | 4 | 0 | | | | | | |
| | | Fescue, creeping red | 3 | 2 | 1 | 1 | | | | | |
| | | Fescue, hard | 4 | 2 | 2 | | 2 | | | | |
| | | Fescue, red | 3 | 2 | 1 | | 1 | | | | |
| | | Fescue, sheep | 2 | 2 | 0 | | | | | | |
| | | Fescue, tall | 36 | 33 | 3 | | 3 | | | | |
| | | Mixture | 21 | 18 | 3 | | 3 | | | | |
| | | Orchardgrass | 1 | 1 | 0 | | | | | | |
| | | Poa trivialis | 1 | 1 | 0 | | | | | | |
| | | Ryegrass, annual | 3 | 3 | 0 | | | | | | |
| | | Ryegrass, perennial | 13 | 12 | 1 | | 1 | | | | |
| Compliance Rate: | 87.9% | Total | 124 | 109 | 15 | 4 | 12 | 0 | 0 | 0 | 0 |
| Winfield Solutions | LLC. St. Jo | oseph. MO | | | | | | | | | |
| | , | Corn, field | 3 | 3 | 0 | | | | | | |
| | | Soybean | 1 | 1 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NL Alfalfas, Madiso | on, WI | | | | | | | | | | |
| ,, | , | Alfalfa | 10 | 10 | 0 | | | | | | |
| Compliance Rate: | 100.0% | Total | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | Type of Violation | | | | | | |
|------------------|--------|------------------------|-------------------|----------------|----------------------|-------------------|--------------|----------------------------------|--------------|---------------|-------|--|
| | | | Lots Inspected | Lots Passed | Lots in Violation | Germi- nation | Pure Seed | Noxious / Prohibited Weeds | Weed Seed | Other Crop | Label | |
| WSDA, Kahoka, MO | | Wheat, soft red winter | 1 | 1 | 0 | | | | | | | |
| Compliance Rate: | 100.0% | Total | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | OVERALL TOTAL | 3147 | 2939 | 208 | 121 | 60 | 27 | 13 | 17 | 2 | |

SECTION TWO

VIOLATIONS OF SEED LOTS FOR REASONS OTHER THAN CONTENT CLAIMS

VIOLATIONS ON SEED LOTS FOR REASONS OTHER THAN CONTENTS CLAIMS

| Company | Reason Field Written | Number of |
|------------------------------------|----------------------|------------|
| | Stop Sale was Issued | Violations |
| Feldman's Farm and Home | Wrong label | 27 |
| 095-116 | Out of test date | 37 |
| Blue Springs, MO 64015 | No label | |
| Feldman's Farm and Home 047-025 | Out of test date | 17 |
| Liberty, MO 64068 | No label | 17 |
| Greater Ozark MFA | | • |
| 077-116 | Out of test date | 9 |
| Springfield, MO 65802 | | |
| Kmart #3759 | Out of test date | _ |
| 189-048 | Out of test date | 7 |
| Ballwin, MO 63011 | | |
| MFA Agri Services | | |
| 073-001 | Out of test date | 3 |
| Owensville, MO 65066 | | |
| Orscheln Farm and Home Supply #7 | | |
| 157-067 | Out of test date | 5 |
| Perryville, MO 63775 | | |